CARTA DE TRAMITE

Para:	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación		
De:	Nombre de la Compañía Consultora: FAS 9 A Dirección Postal: PD Box 1184 Canoueras Teléfono: 32-637-5466 Nombre del Representante Autorizado: Firma:	escrictes &	S
Escuela	a: Violanta Simenez	Código:	71365
Municip Escuela	pio: Toa Alta	Fecha de Inspección:	71365
Nombre	e del Ingeniero que emite la recomendación: /ng.	Ismael M.	Parcero
Anejos:			-
1.	Recomendación al Secretario		-
2.	Estampilla Digital Especial emitida por el CIAPR		
3.	Informe de inspección Ocular		

71365

OCULAR INSPECTION CHECKLIST

Α.	GENERAL INFORMATION	
1. 🛚	Street Address of the School: (alle Ave. Adula Polais	
	City: Ton Alta State: P. R. Zip: 00953	
2.	School Name: Violanta Jiménez	
3.	Date of inspection:	
4.	Inspector's Name: Isma el Marvero	_
В.	BUILDING SITE INSPECTION	
5.	Utility Service Safety:	
detecte after th	TANT-Immediately following an earthquake, check the entire property, especially near appliances, for the smell of gas. If gas odor is ed, turn off the gas at the meter where it enters the house. Locate and repair leaks before turning gas back on. If the gas odor persists e gas has been shut off, vacate the building and contact the gas utility company immediately.	
IMPOF valve,	RTANT–Before entering a damaged, vacant building verify that gas is off. Check the gas meter for damage and position of main gas either a manual valve or a seismically-activated gas shut-off valve. Do not enter the building if gas odor is detected.	
	a. Odor of natural gas leakage? YES NO b. Downed powerlines? YES NO	
6.	Surrounding topography: (②checkone)	
	Gently sloping (easily walkable) Steeply sloping (difficult or impossible to walk in some areas)	
7.	Building pad: (@check one) Flat Terraced or multilevel	
	Gently sloping (less than 4-foot ground surface elevation difference across house)	
	Steeply sloping (greater than 4-foot ground surface elevation difference across house)	
8.	Geotechnical Issues: (if yes, provide description and photos)	
	a. New cracks in the ground?	
	b. Signs of fresh cracking in or movement of hardscape?	
	c. Signs of fresh cracking in or movement of retaining wails?	
	d. Patterns of cracking that extend through the ground surface, hardscape, and improvements?	
	e. Evidence of sand boils or other fresh-appearing deposits of sand or mud?	
	f. Unusual slumping, rising, or bulging of the ground surface?	
	g Evidence of rock falls or slope instability above site?	
The second secon	h. Ground movement or wet areas indicating possible broken underground utility lines?	
	i. Other phenomena (e.g., septic tanks surfacing, differential settlement, ground consolidation)?	

В.	BUILDING SITE INSPECTION (continued) YES NO
9.	Evidence of earthquake-induced permanent ground deformation in the immediate vicinity of the property?
C.	GENERAL BUILDING INFORMATION
10.	Safety Assessment Tag: (©check one) None Green Yellow Red
11.	a) Year of original construction (best estimate): 80^{+} b) Total square footage (best estimate): 29 , 170
12.	Have any repairs, modifications, or demolition been performed since the earthquake? If yes, describe
13.	Building configuration: a. Single story b. Combination one and two story c. Full two story d. Three story
	e. Split level f. Typical g. Other, describe 17. Roof configuration: a. Gable b. Hip
14.	Exterior wall finish: a. Stucco b. Panel siding
	c. Metal siding d. Masonry veneer e. Other, describe — 18. Roof covering: a. Asphaltic membrane b. Wood shingle or shake
15.	Foundation configuration: a. Slab-on-grade b. Crawlspace without cripple walls c. Crawlspace with cripple walls c. Concrete d. Metal e. Elastomeric f. Other, describe
	d. Exposed piers or posts e. Typical f. Metal g. Other, describe

D.	EXTERIOR BUILDING INSPECTION			
19.	General: (if yes, provide description and photos)	YES	NO X	N/A
	a. Collapse, partial collapse, or building off foundation?			
	b. Obvious lean in any story?			
K.	The state of the s			-
20.	Exterior walls: (if yes, provide description and photos)		X	
	a. Fresh cracking at corners of door and window openings?		X	
	b. Fresh cracking at building corners?	, as the second	X	
	c. Door or window openings racked out of square?	. average of the same of		
	d. Broken glass in windows or doors?		Emmand .	
	e. Wall leaning?			
	f. Bulging or delamination of stucco?	1 10 1 1000 1000 10		
	g. Pattern of cracking that extends from the ground surface, through foundation, and wall?		X	
	h. Evidence of recent relative movement at mudsill line?		X	
	i At locations where the exterior stucco is continuous from the framing down over the		×	
	foundation, is there cracking of stucco along the mudsill level accompanied by indications			
	of permanent displacement (sliding) of the building relative to the foundation?	netro estado filicalida	S	
	j. Collapse, partial collapse, or separation of masonry veneer?	. sandm. n sič		
	k. Severe cracking, separations, or offsets at building irregularities?	g righ 2º kaca	K	Ш
21.	Foundation: (if yes, provide description and photos)	ar kas ymlfig	\square	
	a. Fresh cracking of exposed perimeter foundation?	The state of the se	ar - domi	
	b. Relative movement between slab and footing in "two-pour" slab-on-grade foundations?			
	c. Ask homeowner if any earthquake retrofits have been done to the home?			Ш
	If Y describe:	[7]		
	d. If the answer to c is Y, were bolts added to connect the home to the foundation?	Ц		
and the state of t	e. If the answer to c is Y, were plywood or sheathing added to any cripple walls under the home?			

D.	EXTERIOR BUILDING INSPECTION (continued)	allen so	TETAS	
M	22. Kitchen Hook (if yes, provide description and photos)	YES	NO	N/A
	a. Present on external wall?			X
	b. Present at internal location?			X
	c. Collapse or partial collapse?			X
	d. Visible damage or cracking?	responding the side		
	e. Visible tilting or separation from building?	9 m. 19 p.6.2 o.		X
	f. Shifted or loose and displaced	they have been a	o (1 5)	X
	g. Deterioration or deformation			X
		10000		火
23	Roof: (if yes, provide description and photos) No se two Acceso			
	a. Shifted or dislodged or concrete damage?			П
	b. Impact damage to roof from falling object?	latah <u>ara</u> Galo ku	30 70 2	
	c. Displaced rooftop HVAC units?			
	d. Significantly sagging roof ridgelines?	y 11 to 28p 1 (o.8.)		
	e. Signs of movement between rafter tails and wall finishes at eaves?	-11-15-627	.hu	
	f Buckled/dislodged flashing or tearing of roof membrane, roof/wall intersections in split	de esta de la companya		
	level buildings, additions, or other building irregularities?			7 () () () () () ()
	g. Tearing of roof membrane or deck waterproofing at re-entrant corners?			
	h. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of rooftop	ave by Manu	signal agri	PA .
	mechanical equipment?			
	i. Shifting of or damage to solar panels?	n nd a Louis propione i A		

D.	EXTERIOR BUILDING INSPECTION (continued)	
24.	Attached or abutting improvements: (if yes, provide description and photos) a. Collapse, partial collapse, or separation of attached porches, carports, Gazebos, or	
	awnings? b. Evidence of recent settlement or displacement of exterior steps, patios,	
	or walkways relative to the building? c. Signs of movement between building floor and/ or exterior hardscape or retaining	
	wall along the uphill side of hon steeply sloping sites? d. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of	
25.	air conditioning condenser unit(s)? Independent exterior improvements: (if yes, provide description and photos) a. Damaged detached gazebo? b. Damage to fences / privacy walls? c. Damage to retaining walls? d. Damage to walkway? e. Evidence of leakage from water supply lines? f. Toppling, shifting, or damage/leakage at fuel connection of propane tanks? g. Others damage	
E. 26.	INTERIOR INSPECTION General information Interior access not possible, identify reason	=

E.	INTERIOR INSPECTION (continued)	id bue ar		Q
27.	Walls: (if yes, provide description and photos)	YES	NO	N/A
	a. Fresh cracking, buckling, spalling, or detachment of interior wall finish at corners of		X	
	door and window openings?			
	b. Fresh cracking of wall finishes at wall corners or wall/ceiling intersections?		X	
	c. Door or window openings racked out of square?		X	
	d. Wall leaning?		X	
	e. Pattern of cracking that extends from the floor slab through the wall?		×	
	f. Movement or sliding of walls relative to the floor?		×	
	g. Severe cracking, separations, or offsets at building irregularities?		X	
	h. Doors damaged, difficult to operate, or inoperable?			
	i. Windows damaged, difficult to operate, or inoperable?		X	
28.	Ceilings: (if yes, provide description and photos)			
	a. Collapse of ceiling finish?		X	
	b. Fresh cracking of ceiling finishes, especially at re-entrant corners; cracks along corner		X	
	bead at stairwell openings; cracking or tearing of finishes at ceiling/wall juncture; or multiple			
	"nail pops"?			
	c. Damage to ceiling finishes in vicinity of corridors or commons places?		X	
	d. Separations or cracks in ceiling finishes at split-levels, re-entrant corners,		X	
	additions, appendages, or other building discontinuities?			
	e. Water damage or evidence of recent leakage from plumbing lines or roofing?		X	

				1
Ξ. 29.	INTERIOR INSPECTION (continued) Floors: (if yes, provide description and photos) a. Evidence of recent sloping, sagging, settlement or displacement of floors? b. In slab-on-grade locations, fresh cracking of floor slab or floor finishes? c. Significant sagging or unusual bounciness of floors frames? d. Separations or cracks in floor finishes at split-levels, re-entrant corners, additions,	YES	NO NO	N/A
	appendages, or other building discontinuities? e. Signs of movement between floor and exterior hardscape or retaining wall along			
	the uphill side of homes on steeply sloping sites? f. A pattern of fresh cracks, gaps, or joint separations in floor finishes? g. Impact damage to floor finishes from falling contents?		X X	
30.	Mechanical systems: (if yes, provide description and photos)			
	a. Displaced connection of appliance flues connected to chimneys?b. Toppling, shifting, leakage from tank, leakage from water connections displaced flue			
	connection or damage/leakage at gas line or electrical connection of water heater? c. Shifting, damage/leakage at gas line, flue connection, electrical connection, refrigerant line, and condensate drain connection of furnace or air conditioning fan-coil unit?		X	
	d. Damage to gas line of gas stoves or gas fueled clothes dryers?e. Damage to toilets?			
	 f. Decreased or restricted water pressure at appliances, faucets, or toilets? g. Toppling or shifting of free-standing wood stove and/or flue? h. Toppling, shifting, damage/leakage at fuel connection of fuel oil tank? i. Other Damage in the dining room j. Damage near the gas tank 		N N N	

E.	INTERIOR INSPECTION (continued)	COPEZ/II FU	Welen	
31.	Architectural woodwork and special finishes: (if yes, provide description and photos)	YES	NO	N/A
	a. Shifting of or damage to kitchen or bathroom cabinetry?		X	
	b. Impact damage to countertops from falling objects?		X	
	c. Cracking of ceramic tile in showers or tub/shower enclosures consistent with	hill an hilyes a s	X	
	earthquake damage to adjacent wall finishes?			
	Continues could	id saille in as an		
F.	CONTINGENT INSPECTIONS	a, s. m odleción s. vercent le ⁿ a	lo notes.	
	CONTINGENT INSPECTIONS	YES	NO	N/A
F. 32.	CONTINGENT INSPECTIONS	wal (parev-e	lo tingti. A	N/A
	CONTINGENT INSPECTIONS Retaining Tank Wall damage?	wal (parev-e	lo ingi. a	promote and the second

G.	RECOMENDACIÓN AL SECRETARIO	
	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación	
	Hora de Entrada a Inspección: Escuela: Municipio: Toa Alta	Hora de Salida de Inspección: Código: 71365 Fecha de Inspección: 12 ereo 2020
	Abrir Escuela (Verde)	
	Abrir Parcialmente la Escuela (Amarillo)	
	No Abrir la Escuela (Rojo)	

symples in see a de Marles





COLEGIO DE INGENIEROS Y AGRIMENSORES DE PUERTO RICO

PO Box 363845 * San Juan, Puerto Rico * 00936-3845 Tel. 787-758-2250 * Fax. 787-758-7639

ESTAMPILLA DIGITAL ESPECIAL (EDE)

Ing. Ismael J. Marrero Rivera, PE





Práctica de:

Ingeniería

Licencia:

22489

Renglón:

Certificación

Descripción del Trabajo: Inspección y Verificación de Instalaciones

Fecha de Emisión:

2020-01-20

Monto Emitido:

Número de Serie:

4749-2455-6245-4636

Número de Caso:

71365

Proyecto / Unidad:

Código #71365 Esc. Violanta Jiménez

Rol del Profesional:

Evaluador

SELLO PROFESIONAL

Certificación:

El profesional certifica con la emisión de la estampilla digital especial del Colegio de Ingenieros y Agrimensores de Puerto Rico el haber cumplido con las disposiciones de la Sección 11 de la Ley 319 del 15 de mayo de 1938, según enmendada.

La colocación del sello profesional constituye la cancelación de la estampilla digital especial



Fecha de Expiración: 2023-01-14