## **CARTA DE TRAMITE**

Para:	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación		
De:	Nombre de la Compañia Consultora:  Dirección Postal:  PO BOX 1184  Teléfono:  Nombre del Representante Autorizado:  Firma:	DAGOGGES,	<i>P50</i> <b>2.9</b>
Escuela Municip Escuela	io: Coneno	Código: Fecha de Inspección:	1/13/2020
	e del Ingeniero que emite la recomendación: 🤾	B. Luis R	Horey
Anejos: 1.	Recomendación al Secretario		
1. 2.	Estampilla Digital Especial emitida por el CIAPR		
3.	Informe de inspección Ocular		

GENERAL INFORMATION
Street Address of the School:
City: Comerco State: P.R. Zip: 00782
School Name: Superior June Colin
Date of inspection: 13 - ener - 2020
Inspector's Name: 6ilberts Torres - Luis Abren
BUILDING SITE INSPECTION
Utility Service Safety:
TANT—Immediately following an earthquake, check the entire property, especially near appliances, for the smell of gas. If gas odor is id, turn off the gas at the meter where it enters the house. Locate and repair leaks before turning gas back on. If the gas odor persists e gas has been shut off, vacate the building and contact the gas utility company immediately.
TANT–Before entering a damaged, vacant building verify that gas is off. Check the gas meter for damage and position of main gas either a manual valve or a seismically-activated gas shut-off valve. Do not enter the building if gas odor is detected.
a. Odor of natural gas leakage? YES NO b. Downed powerlines? YES NO
Surrounding topography: (@check one)  Flat Gently sloping (easily walkable) Steeply sloping (difficult or impossible to walk in some areas)
Building pad: (@check one)  Flat  Terraced or multilevel  Gently sloping (less than 4-foot ground surface elevation difference across house)  Steeply sloping (greater than 4-foot ground surface elevation difference across house)
Geotechnical Issues: (if yes, provide description and photos)
a. New cracks in the ground?
b. Signs of fresh cracking in or movement of hardscape?
c. Signs of fresh cracking in or movement of retaining walls?
d. Patterns of cracking that extend through the ground surface, hardscape, and improvements:
e. Evidence of saild boils of other fresh-appearing deposits of saild of finds:
f. Unusual slumping, rising, or bulging of the ground surface?  g. Evidence of rock falls or slope instability above site?
g. Evidence of rock falls or slope instability above site?
h. Ground movement or wet areas indicating possible broken underground utility lines?
te h

В.	BUILDING SITE INSPECTION (continued)		YES	NO
9.	Evidence of earthquake-induced permanent ground deformation in the immeroperty?	ediate vicinity of the		
C.	GENERAL BUILDING INFORMATION			
10.	Safety Assessment Tag: (12 check one)  None  Green  (others):  None  Yellow  Rec	Yellow Red		
11.	a) Year of original construction (best estimate):  b) Total square footage (best estimate):		YES	NO
12.	Have any repairs, modifications, or demolition been performed since the early yes, describe	arthquake?		
13.	b. Combination one and two story  c. Full two story d. Three story	ing: Structure bolted to foundat Structure not bolted to foun Don't know onfiguration:		
	f. Typical g. Other, describe a.	Gable Hip Flat or very low slope		
14.	Exterior wall finish:  a. Stucco  b. Panel siding  c. Metal siding  d. Roof co  a. Cother, describe  e. Other, describe	Shed Other, describe  overing: Asphaltic membrane Wood shingle or shake Concrete		
15.	Foundation configuration:  a. Slab-on-grade  d. e.	Metal Elastomeric Other, describe		

D.	EXTERIOR BUILDING INSPECTION			
1	General: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or building off foundation?		Ø	
	b. Obvious lean in any story?			
20.	Exterior walls: (if yes, provide description and photos)			SV25
	a. Fresh cracking at corners of door and window openings?		V	
	b. Fresh cracking at building corners?			
	c. Door or window openings racked out of square?		V	
	d. Broken glass in windows or doors?		Ø	
	e. Wall leaning?			
	f. Bulging or delamination of stucco?			
	g. Pattern of cracking that extends from the ground surface, through foundation, and wall?		Ø	
	h. Evidence of recent relative movement at mudsill line?		I	
	i At locations where the exterior stucco is continuous from the framing down over the		Ø	
	foundation, is there cracking of stucco along the mudsill level accompanied by indications			
	of permanent displacement (sliding) of the building relative to the foundation?			_
	j. Collapse, partial collapse, or separation of masonry veneer?			
	k. Severe cracking, separations, or offsets at building irregularities?			
21.	Foundation: (if yes, provide description and photos)			
	a. Fresh cracking of exposed perimeter foundation?			<del></del>
	b. Relative movement between slab and footing in "two-pour" slab-on-grade foundations?		<b>S</b>	
	c. Ask homeowner if any earthquake retrofits have been done to the home?		Ш	
	If Y describe:			
	d. If the answer to c is Y, were bolts added to connect the home to the foundation?			
	e. If the answer to c is Y, were plywood or sheathing added to any cripple walls under the home?			
1				

D.	EXTERIOR BUILDING INSPECTION (continued)			
	22. Kitchen Hook (if yes, provide description and photos)	YES	NO	N/A
	a. Present on external wall?	~		
¥	b. Present at internal location?		M	
	c. Collapse or partial collapse?			
	d. Visible damage or cracking?		<b>Y</b>	
	e. Visible tilting or separation from building?			
	f. Shifted or loose and displaced			
	g. Deterioration or deformation there are better			
23	. Roof: (if yes, provide description and photos)		_	
	a. Shifted or dislodged or concrete damage? * 2nd floor East Building	<b>Y</b>		
	b. Impact damage to roof from falling object?			
	c. Displaced rooftop HVAC units?			
	d. Significantly sagging roof ridgelines?			
	e. Signs of movement between rafter tails and wall finishes at eaves?			
	f Buckled/dislodged flashing or tearing of roof membrane, roof/wall intersections in split			
4	level buildings, additions, or other building irregularities?			
	g. Tearing of roof membrane or deck waterproofing at re-entrant corners?			
	h. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of rooftop			
	mechanical equipment?			
4	i. Shifting of or damage to solar panels?	Ц	Ш	

D.	EXTERIOR BUILDING INSPECTION (continued)			
24.	Attached or abutting improvements: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or separation of attached porches, carports, Gazebos, or	_		
	awnings?			
	b. Evidence of recent settlement or displacement of exterior steps, patios,	54		
	or walkways relative to the building?		~	
	c. Signs of movement between building floor and/ or exterior hardscape or retaining			
	wall along the uphill side of hon steeply sloping sites?			
	d. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of			
	air conditioning condenser unit(s)?			
25.	Independent exterior improvements: (if yes, provide description and photos)			
	a. Damaged detached gazebo?		V	
	b. Damage to fences / privacy walls?		~	
	c. Damage to retaining walls?			
i	d. Damage to walkway?			
	e. Evidence of leakage from water supply lines?			
	f. Toppling, shifting, or damage/leakage at fuel connection of propane tanks?			
	g. Others damage			
E.	INTERIOR INSPECTION		0	
26.	General information			
20.	a: If interior access not possible, identify reason	ng finish		
	i. Red tag ii. Hazardous materials iii. Plaster on gyr	sum lath		
	iii. Other hazardous condition, iii. Plaster on wo	od lath		
	describe iv. Other, describ	96		
	iv. Other, describe			

E.	INTERIOR INSPECTION (continued)		***************************************	
27.	Walls: (if yes, provide description and photos)	YES	NO	N/A
	a. Fresh cracking, buckling, spalling, or detachment of interior wall finish at corners of			
	door and window openings?		<i>*</i>	
	b. Fresh cracking of wall finishes at wall corners or wall/celling intersections?			
	c. Door or window openings racked out of square?			
	d. Wall leaning?		g .	27.02064
	e. Pattern of cracking that extends from the floor slab through the wall?		4	
	f. Movement or sliding of walls relative to the floor?			
	g. Severe cracking, separations, or offsets at building irregularities?			
	h. Doors damaged, difficult to operate, or inoperable?	MUNICATA LA		
	i. Windows damaged, difficult to operate, or inoperable?			
28.	Ceilings: (if yes, provide description and photos)			
	a. Collapse of ceiling finish?			
i .	b. Fresh cracking of ceiling finishes, especially at re-entrant corners; cracks along corner			
	bead at stairwell openings; cracking or tearing of finishes at ceiling/wall juncture; or multiple			
	"nail pops"?		ø	•
	c. Damage to ceiling finishes in vicinity of corridors or commons places?		Ø	
	d. Separations or cracks in ceiling finishes at split-levels, re-entrant corners,			
	additions, appendages, or other building discontinuities?		d	
	e. Water damage or evidence of recent leakage from plumbing lines or roofing?			

E.	INTERIOR INSPECTION (continued)			
29.	Floors: (if yes, provide description and photos)	YES	NO	N/A
	a. Evidence of recent sloping, sagging, settlement or displacement of floors?	purm		
	b. In slab-on-grade locations, fresh cracking of floor slab or floor finishes?			
	c. Significant sagging or unusual bounciness of floors frames?			
	d. Separations or cracks in floor finishes at split-levels, re-entrant corners, additions,		<b>L</b>	L
	appendages, or other building discontinuities?			
	e. Signs of movement between floor and exterior hardscape or retaining wall along	<b></b>		<b>L</b>
	the uphill side of homes on steeply sloping sites?	П		
	f. A pattern of fresh cracks, gaps, or joint separations in floor finishes?			
	g. Impact damage to floor finishes from falling contents?	AssureI	Leanner	
		$\Box$		П
30.	Mechanical systems: (if yes, provide description and photos)			الممط
	a. Displaced connection of appliance flues connected to chimneys?	П	7	П
	b. Toppling, shifting, leakage from tank, leakage from water connections displaced flue	iJ	Lines	_
	connection or damage/leakage at gas line or electrical connection of water heater?	<u></u>		П
	c. Shifting, damage/leakage at gas line, flue connection, electrical connection, refrigerant line,			
	and condensate drain connection of furnace or air conditioning fan-coil unit?			leand
	d. Damage to gas line of gas stoves or gas fueled clothes dryers?		ГД	$\Box$
	e. Damage to toilets?	<b></b>	ی	1
	f. Decreased or restricted water pressure at appliances, faucets, or toilets?	П		
	g. Toppling or shifting of free-standing wood stove and/or flue?			
	h. Toppling, shifting, damage/leakage at fuel connection of fuel oil tank?			
	i. Other Damage in the dining room		_ 	
	j. Damage near the gas tank			
			· -	

·	INTERIOR INSPECTION (continued)			
31.	Architectural woodwork and special finishes: (if yes, provide description and photos)	YES	NO	N/A
	a. Shifting of or damage to kitchen or bathroom cabinetry?	and the same of th		Tolorowski (1900)
	b. Impact damage to countertops from falling objects?	- Annual Control		
	c. Cracking of ceramic tile in showers or tub/shower enclosures consistent with			
	earthquake damage to adjacent wall finishes?			
F.	CONTINGENT INSPECTIONS			· ·
		YES	NO	N/A
32.	Retaining Tank Wall damage?		Ø	
33.	Water tank or other field subterranean structure		Ø	

G.	RECOMENDACIÓN AL SECRETARIO
	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación
	Hora de Entrada a Inspección:  Escuela:  SUPERIOR JUANA COMN  Código:  Fecha de Inspección:  11:00 am  Código:  71788  Fecha de Inspección:  13:00 am
	Abrir Escuela (Verde)  Abrir Parcialmente la Escuela (Amarillo)  No Abrir la Escuela (Rojo)
	Comentarios:  1. SE RECOMIENDA MANTENIMIENTO EN TECHOS Y PISOS  2. EXISTE UN EDIFICIO CEPPADO POR DANOS DEL HURA- CAN MARIA, ASI COMO EL SOTANO DEL EDIFICIO ANTIGUO.
	Nombre (Letra de Molde)  Nombre (Letra de Molde)  INGENIERO LIGENCIADO  # Licencia  LIC. 11550-FE