#### **CARTA DE TRAMITE**

Para:	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación		
De:	Nombre de la Compañía Consultora:  Dirección Postal:  Teléfono:  Nombre del Representante Autorizado:  Firma:	Associates, Ps	
Escuela	a: Juanita Piluera	Código:	32 300
Municip Escuel		Fecha de Inspección:	1/11/2020
Nombre	e del Ingeniero que emite la recomendación: 🏻 🌉	Colyopat	, Pluenez
Anejos: 1. 2.	Recomendación al Secretario  Estampilla Digital Especial emitida por el CIAPR Informe de inspección Ocular		÷
3.	Illiottile de llispección oculai		

		· · · · · · · · · · · · · · · · · · ·
		· Martine ·
		**************************************

EA - A 32300

## **OCULAR INSPECTION CHECKLIST**

A.	GENERAL INFORMATION		
1.	Street Address of the School: 997 km 3.2		
	city: Viegues State: P.R. Zip: C	0765	
2.	School Name: Juanita Rivera		
3.	Date of inspection:		
4.	Inspector's Name: Eduardo Alvarez Sosa		
В.	BUILDING SITE INSPECTION		
5.	Utility Service Safety:		
detecte	RTANT-Immediately following an earthquake, check the entire property, especially near appliances, for the smed, turn off the gas at the meter where it enters the house. Locate and repair leaks before turning gas back or ne gas has been shut off, vacate the building and contact the gas utility company immediately.	nell of gas. If g n. If the gas o	as odor is dor persists
IMPOF valve,	RTANT–Before entering a damaged, vacant building verify that gas is off. Check the gas meter for damage an either a manual valve or a seismically-activated gas shut-off valve. Do not enter the building if gas odor is def	nd position of matected.	nain gas
	a. Odor of natural gas leakage? YES NO b. Downed powerlines? YES	NO NO	
6.	Surrounding topography: (②checkone)  Flat Gently sloping (easily walkable) Steeply sloping (difficult or impossible to walk in some areas)		
7.	Building pad: (@checkone)  Flat  Terraced or multilevel  Gently sloping (less than 4-foot ground surface elevation difference across house)  Steeply sloping (greater than 4-foot ground surface elevation difference across house)		
8.	Geotechnical Issues: (if yes, provide description and photos)	YES	NO
	a. New cracks in the ground?		X
	b. Signs of fresh cracking in or movement of hardscape?		X
	c. Signs of fresh cracking in or movement of retaining walls?		X
	d. Patterns of cracking that extend through the ground surface, hardscape, and improvements?	닏	X
	e. Evidence of sand boils or other fresh-appearing deposits of sand or mud?		×
	f. Unusual slumping, rising, or bulging of the ground surface?		X
	g. Evidence of rock falls or slope instability above site?		×
	h. Ground movement or wet areas indicating possible broken underground utility lines?		K
	i. Other phenomena (e.g., septic tanks surfacing, differential settlement, ground consolidation)?		K

В.	BUILDING SITE INSPECTION (continued	)		YES	NO
9.	Evidence of earthquake-induced permanent ground defo property?	rmation i	n the immediate vicinity of the		
C.	GENERAL BUILDING INFORMATION				
10.	Safety Assessment Tag: (®check one) None (others):	Green	een Yellow Red		
11.	a) Year of original construction (best estimate): 190 b) Total square footage (best estimate): 1042	de		YES	NO
12.	Have any repairs, modifications, or demolition been per lf yes, describe		Province Company and Company a	Ш	
13.	Building configuration:  a. Single story b. Combination one and two story c. Full two story d. Three story e. Split level f. Typical g. Other, describe	16.	sill bolting:  a. Structure bolted to foundate b. Structure not bolted to foundate c. Don't know  Roof configuration:  a. Gable b. Hip		
14.	Exterior wall finish:  a. Stucco b. Panel siding c. Metal siding d. Masonry veneer e. Other, describe	18.	c. Flat or very low slope d. Shed e. Other, describe  Roof covering: a. Asphaltic membrane b. Wood shingle or shake		
15.	Foundation configuration:  a. Slab-on-grade  b. Crawlspace without cripple walls  c. Crawlspace with cripple walls  d. Exposed piers or posts  e. Typical  f. Metal  g. Other, describe		c. Concrete d. Metal e. Elastomeric f. Other, describe		

D.	EXTERIOR BUILDING INSPECTION			
19	. General: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or building off foundation?	of disheron	又	
	b. Obvious lean in any story?			
20.	Exterior walls: (if yes, provide description and photos)			
	a. Fresh cracking at corners of door and window openings?			
	b. Fresh cracking at building corners?	Yallog Caledon		-anne
	c. Door or window openings racked out of square?		X	
	d. Broken glass in windows or doors?			
	e. Wall leaning?			
	f. Bulging or delamination of stucco?	e Sindana	图	
	g. Pattern of cracking that extends from the ground surface, through foundation, and wall?			
	h. Evidence of recent relative movement at mudsill line?		人	
	i. At locations where the exterior stucco is continuous from the framing down over the	gressore.	<b>X</b>	William Co.
	foundation, is there cracking of stucco along the mudsill level accompanied by indications			
	of permanent displacement (sliding) of the building relative to the foundation?			
	j. Collapse, partial collapse, or separation of masonry veneer?			
	k. Severe cracking, separations, or offsets at building irregularities?			ANALYSIS A
21.	Foundation: (if yes, provide description and photos)	-		
	a. Fresh cracking of exposed perimeter foundation?		in the second	
	b. Relative movement between slab and footing in "two-pour" slab-on-grade foundations?			X
	c. Ask homeowner if any earthquake retrofits have been done to the home?	-		
	If Y describe:			, , , , , , , , , , , , , , , , , , ,
	d. If the answer to c is Y, were bolts added to connect the home to the foundation?			X
	e. If the answer to c is Y, were plywood or sheathing added to any cripple walls under the home?	-menos	and the second	

D.	EXTERIOR BUILDING INSPECTION (continued)			
	22. Kitchen Hook (if yes, provide description and photos)	YES	NO	N/A
	a. Present on external wall?		X	
	b. Present at internal location?		X	
	c. Collapse or partial collapse?		X	
	d. Visible damage or cracking?		×	
	e. Visible tilting or separation from building?		×	
	f. Shifted or loose and displaced		X	
	g. Deterioration or deformation		×	
			X	
23.	Roof: (if yes, provide description and photos)			
	a. Shifted or dislodged or concrete damage?		X	
	b. Impact damage to roof from falling object?		X	
	c. Displaced rooftop HVAC units?		X	
	d. Significantly sagging roof ridgelines?		×	
	e. Signs of movement between rafter tails and wall finishes at eaves?		×	
	f Buckled/dislodged flashing or tearing of roof membrane, roof/wall intersections in split			
	level buildings, additions, or other building irregularities?			
	g. Tearing of roof membrane or deck waterproofing at re-entrant corners?		$\bowtie$	
	h. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of rooftop		×	
	mechanical equipment?			
	i. Shifting of or damage to solar panels?			X

D.	EXTERIOR BUILDING INSPECTION (continued)	9		
24.	Attached or abutting improvements: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or separation of attached porches, carports, Gazebos, or		X	
	awnings?			
	b. Evidence of recent settlement or displacement of exterior steps, patios,		×	
	or walkways relative to the building?		1	
	c. Signs of movement between building floor and/ or exterior hardscape or retaining		K	ш
	wall along the uphill side of hon steeply sloping sites?			
	d. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of		$\bowtie$	
	air conditioning condenser unit(s)?			
25.	Independent exterior improvements: (if yes, provide description and photos)			
	a. Damaged detached gazebo?		×	
	b. Damage to fences / privacy walls?		×	
	c. Damage to retaining walls?		X	
	d. Damage to walkway?		X	
	e. Evidence of leakage from water supply lines?		$\bowtie$	
	f. Toppling, shifting, or damage/leakage at fuel connection of propane tanks?		×	
	g. Others damage	Ц	×	Ш
				$\rightarrow$
E.	INTERIOR INSPECTION			
26.	General information	c		
	i. Red tag  i. Red tag  i. Drywall	finish		
	ii. Hazardous materials ii. Plaster on gypsu			
	iii. Other hazardous condition, describe iv. Other, describe			
	iv. Other, describe			
				2

		* 2000 POST IN CO 2 CO.	SOCIOLOGIC ESC. VIII CALLO ANCIO CONSTIL	
E.	INTERIOR INSPECTION (continued)			
27.	Walls: (if yes, provide description and photos)	YES	NO	N/A
	a. Fresh cracking, buckling, spalling, or detachment of interior wall finish at corners of		$\boxtimes$	
	door and window openings?			
	b. Fresh cracking of wall finishes at wall corners or wall/ceiling intersections?		X	
	c. Door or window openings racked out of square?		X	
	d. Wall leaning?		X.	
	e. Pattern of cracking that extends from the floor slab through the wall?		×	
	f. Movement or sliding of walls relative to the floor?		X	
	g. Severe cracking, separations, or offsets at building irregularities?		X	
	h. Doors damaged, difficult to operate, or inoperable?		X	
	i. Windows damaged, difficult to operate, or inoperable?		X	
28.	Ceilings: (if yes, provide description and photos)			(
	a. Collapse of ceiling finish?		$\bowtie$	
	b. Fresh cracking of ceiling finishes, especially at re-entrant corners; cracks along corner		×	
	bead at stairwell openings; cracking or tearing of finishes at ceiling/wall juncture; or multiple			
	"nail pops"?			
	c. Damage to ceiling finishes in vicinity of corridors or commons places?		X	
	d. Separations or cracks in ceiling finishes at split-levels, re-entrant corners,		×	
	additions, appendages, or other building discontinuities?			
	e. Water damage or evidence of recent leakage from plumbing lines or roofing?		X	

770 270 200	INTERIOR INSPECTION (continued)			
29.	Floors: (if yes, provide description and photos)	YES	NO	N/A
	a. Evidence of recent sloping, sagging, settlement or displacement of floors?			
	b. In slab-on-grade locations, fresh cracking of floor slab or floor finishes?	processor.		
	c. Significant sagging or unusual bounciness of floors frames?	omenua.		
	d. Separations or cracks in floor finishes at split-levels, re-entrant corners, additions,	ANTES CONTRACTOR OF THE PARTY O	$oldsymbol{oldsymbol{oldsymbol{eta}}}$	Appurezona
	appendages, or other building discontinuities?		[7]	pomnuesa
	e. Signs of movement between floor and exterior hardscape or retaining wall along	Louis I		
	the uphill side of homes on steeply sloping sites?	· 1		
	f. A pattern of fresh cracks, gaps, or joint separations in floor finishes?			
	g. Impact damage to floor finishes from falling contents?	li-manul	lone-ul	lomand
30.	Mechanical systems: (if yes, provide description and photos)	nittisants		
	a. Displaced connection of appliance flues connected to chimneys?	П	X	
	b. Toppling, shifting, leakage from tank, leakage from water connections displaced flue	<del></del> -1	انتسا	Lamed
	connection or damage/leakage at gas line or electrical connection of water heater?	,	<b></b>	EXECUTION .
	c. Shifting, damage/leakage at gas line, flue connection, electrical connection, refrigerant line,			emine.
	and condensate drain connection of furnace or air conditioning fan-coil unit?		X	
	d. Damage to gas line of gas stoves or gas fueled clothes dryers?	<del>[</del> ]	ГØ	r-1
	e. Damage to toilets?	omuu)		L
	f. Decreased or restricted water pressure at appliances, faucets, or toilets?		×	
	g. Toppling or shifting of free-standing wood stove and/or flue?			
	h. Toppling, shifting, damage/leakage at fuel connection of fuel oil tank?			
	i. Other Damage in the dining room			Emistraci Malif
	j. Damage near the gas tank		$\boxtimes$	- COMMISSION -

E.	INTERIOR INSPECTION (continued)			
31.	Architectural woodwork and special finishes: (if yes, provide description and photos)	YES	NO	N/A
	a. Shifting of or damage to kitchen or bathroom cabinetry?		X	
	b. Impact damage to countertops from falling objects?		X	
	c. Cracking of ceramic tile in showers or tub/shower enclosures consistent with		X	
	earthquake damage to adjacent wall finishes?		8	
		2		
F.	CONTINGENT INSPECTIONS			
F.	CONTINGENT INSPECTIONS	YES	NO	N/A
F. 32.	CONTINGENT INSPECTIONS  Retaining Tank Wall damage?	YES	NO X	N/A
1185 17		YES	4	N/A

G.	RECOMENDACIÓN AL SECRETARIO	
	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación	
	Hora de Entrada a Inspección: 3.30pm	Hora de Salida de Inspección: 4:45 pm
	Escuela: Juanita Kivera	Código: 39300
	Municipio: Viegues	Fecha de Inspección: 01-11-3020
	Abrir Escuela (Verde)	
	Abrir Parcialmente la Escuela (Amarillo)	
	No Abrir la Escuela (Rojo)	
	Comentarios: Durante el recorrido	por el plantel escolar
	Plation y grieta en el enpe almacen del mismo.	
3	· · · · · · · · · · · · · · · · · · ·	
	Educido Alvarez Sosa Nombre (Letra de Molde) LUSS.	# Licencia  Licencia  Sello  Lic #24252



#### COLEGIO DE INGENIEROS Y AGRIMENSORES DE PUERTO RICO

PO Box 363845 \* San Juan, Puerto Rico \* 00936-3845 Tel. 787-758-2250 \* Fax. 787-758-7639

#### **ESTAMPILLA DIGITAL ESPECIAL (EDE)**

Ing. Eduardo E Alvarez Sosa, PE



Práctica de:

Ingeniería

Licencia:

24252

Renglón:

Certificación

Descripción del Trabajo: Inspección y Verificación de Instalaciones

Fecha de Emisión:

2020-01-20

Monto Emitido:

\$5

Número de Serie:

8451-1234-8918-6917

Número de Caso:

32300

Proyecto / Unidad:

Escuela Juanita Rivera Albert

Rol del Profesional:

Evaluador

#### Certificación:

El profesional certifica con la emisión de la estampilla digital especial del Colegio de Ingenieros y Agrimensores de Puerto Rico el haber cumplido con las disposiciones de la Sección 11 de la Ley 319 del 15 de mayo de 1938, según enmendada.

La colocación del sello profesional constituye la cancelación de la estampilla digital especial



	(
	**Avager