Α.	GENERAL INFORMATION		
1.	Street Address of the School:	CALLE ANTOUN MIN, EQ.	SANTIALO CASTILLO
	city: SAN TUDH	State: PR Zij	<u>o:</u> 00918
2.	School Name:	ESCUELS ELEMENTAL E	
3.	Date of inspection:	WEDNESDAY, TONUON	
4.	Inspector's Name: ENG. ALEJAHDM	O Novario	
В.	BUILDING SITE INSPECTION		
5.	Utility Service Safety:		
detecte	RTANT-Immediately following an earthquake, check the ened, turn off the gas at the meter where it enters the house. e gas has been shut off, vacate the building and contact the	Locate and repair leaks before turning gas bac	
	RTANT–Before entering a damaged, vacant building verify t either a manual valve or a seismically-activated gas shut-o		
	a. Odor of natural gas leakage? YES YES	O b. Downed powerlines?	s No
6.	Surrounding topography: (@check one) Flat Gently sloping (easily walkable) Steeply sloping (difficult or impossible to walk in so	ome areas)	
7.	Building pad: (@check one) Flat Terraced or multilevel Gently sloping (less than 4-foot ground surface ele Steeply sloping (greater than 4-foot ground surface)		
8.	Geotechnical Issues: (if yes, provide description and pl	hotos)	YES NO
	a. New cracks in the ground?		
	b. Signs of fresh cracking in or movement of hardscape	9?	
	c. Signs of fresh cracking in or movement of retaining v	valls?	
	d. Patterns of cracking that extend through the ground	surface, hardscape, and improvements?	
	e. Evidence of sand boils or other fresh-appearing dep	osits of sand or mud?	
	f. Unusual slumping, rising, or bulging of the ground so	ırface?	
	g. Evidence of rock falls or slope instability above site?		
	h. Ground movement or wet areas indicating possible to	proken underground utility lines?	
	i. Other phenomena (e.g., septic tanks surfacing, diffe	rential settlement, ground consolidation)?	

B.	BUILDING SITE INSPECTION (continued	YE	S NO	
9.	Evidence of earthquake-induced permanent ground deformation in the immediate vicinity of the property?			
C.	GENERAL BUILDING INFORMATION			
10.	Safety Assessment Tag: (⊡check one) None (others):	Grayellow	een Yellow Red	
11.	a) Year of original construction (best estimate): 19 b) Total square footage (best estimate): 10,000-14	39 1000500	YE T	ES NO
12.	Have any repairs, modifications, or demolition been pe	rformed si	nce the earthquake?	
13.	Building configuration: a. Single story b. Combination one and two story c. Full two story d. Three story e. Split level f. Typical g. Other, describe	16. 17.	Sill bolting: a. Structure bolted to foundation b. Structure not bolted to foundation c. Don't know Roof configuration: a. Gable b. Hip c. Flat or very low slope	on
14.	Exterior wall finish: a. Stucco b. Panel siding c. Metal siding d. Masonry veneer e. Other, describe	18.	d. Shed e. Other, describe Roof covering: a. Asphaltic membrane b. Wood shingle or shake	
15.	a. Slab-on-grade b. Crawlspace without cripple walls c. Crawlspace with cripple walls d. Exposed piers or posts e. Typical f. Metal g. Other, describe		c. Concrete d. Metal e. Elastomeric f. Other, describe	

D.	EXTERIOR BUILDING INSPECTION			
	19. General: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or building off foundation?			
	b. Obvious lean in any story?			
20.	Exterior walls: (if yes, provide description and photos)		•	
	a. Fresh cracking at corners of door and window openings?		₫	
	b. Fresh cracking at building corners?		Ø,	
	c. Door or window openings racked out of square?		Image: section of the	
	d. Broken glass in windows or doors?		9	
	e. Wall leaning?			
	f. Bulging or delamination of stucco?			
	g. Pattern of cracking that extends from the ground surface, through foundation, and wall?			
	h. Evidence of recent relative movement at mudsill line?		1	
	i At locations where the exterior stucco is continuous from the framing down over the		<u> </u>	
	foundation, is there cracking of stucco along the mudsill level accompanied by indications			
	of permanent displacement (sliding) of the building relative to the foundation?			
	j. Collapse, partial collapse, or separation of masonry veneer?			
	k. Severe cracking, separations, or offsets at building irregularities?			
21.	Foundation: (if yes, provide description and photos)			
	a. Fresh cracking of exposed perimeter foundation?			_
	b. Relative movement between slab and footing in "two-pour" slab-on-grade foundations?			
	c. Ask homeowner if any earthquake retrofits have been done to the home?			
	If Y describe:		····	
	d. If the answer to c is Y, were bolts added to connect the home to the foundation?			
	e. If the answer to c is Y, were plywood or sheathing added to any cripple walls under the home?		Ц	
l .				

D.	EXTERIOR BUILDING INSPECTION (continued)			
	22. Kitchen Hook (if yes, provide description and photos)	YES	NO	N/A
	a. Present on external wall?			
	b. Present at internal location?			
	c. Collapse or partial collapse?			
	d. Visible damage or cracking?			
	e. Visible tilting or separation from building?			
	f. Shifted or loose and displaced	<u></u>		
	g. Deterioration or deformation	<u></u>		
	Roof: (if yes, provide description and photos)			(A)
23.	Roof: (if yes, provide description and photos)			
	a. Shifted or dislodged or concrete damage?			
	b. Impact damage to roof from falling object?			
	c. Displaced rooftop HVAC units?		Id	
	d. Significantly sagging roof ridgelines?		N.	
	e. Signs of movement between rafter tails and wall finishes at eaves?			
	f Buckled/dislodged flashing or tearing of roof membrane, roof/wall intersections in split	<u> </u>		
	level buildings, additions, or other building irregularities?	-	r/	
	g. Tearing of roof membrane or deck waterproofing at re-entrant corners?			<u> </u>
	h. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of rooftop		4	
	mechanical equipment?		restor	
	i. Shifting of or damage to solar panels?		1 Mes	
			v	

D.	EXTERIOR BUILDING INSPECTION (continued)			
24.	Attached or abutting improvements: (if yes, provide description and photos)	YES	NO FILE	N/A
	a. Collapse, partial collapse, or separation of attached porches, carports, Gazebos, or			
	awnings?	 1		
	b. Evidence of recent settlement or displacement of exterior steps, patios,			
	or walkways relative to the building?		Π/	
	c. Signs of movement between building floor and/ or exterior hardscape or retaining		Œ	
	wall along the uphill side of hon steeply sloping sites?			
	d. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of	Problembaded	Paris Designated	Beautypud
	air conditioning condenser unit(s)?			
25.	Independent exterior improvements: (if yes, provide description and photos)		N	
	a. Damaged detached gazebo?			
	b. Damage to fences / privacy walls?			
	c. Damage to retaining walls?			
	d. Damage to walkway?			
	e. Evidence of leakage from water supply lines?			
	f. Toppling, shifting, or damage/leakage at fuel connection of propane tanks?			
	g. Others damage		ت	Ш
F	INTERIOR INCRECTION		· · · · · · · · · · · · · · · · · · ·	 -
Ε.	INTERIOR INSPECTION			
26.	General information a. If interior access not possible, identify reason p: Typical wall and ceiling	ng finish		
	i. Red tag i. Drywall			
	ii. Hazardous materials ii. Plaster on gyp			
	iii. Videl hazardad condition,		0.0	
	describe iv. Other, describ	e <u>Cament</u>	MASTER	
	iv. Other, describe	e <u>Cement</u>	MISTER	

E.	INTERIOR INSPECTION (continued)			
27.	Walls: (if yes, provide description and photos)	YES	NO	N/A
	a. Fresh cracking, buckling, spalling, or detachment of interior wall finish at corners of		V	
	door and window openings?		_/	
	b. Fresh cracking of wall finishes at wall corners or wall/ceiling intersections?		♂ —∕	
	c. Door or window openings racked out of square?		₫	
	d. Wall leaning?			
	e. Pattern of cracking that extends from the floor slab through the wall?		I	
	f. Movement or sliding of walls relative to the floor?		₫	
	g. Severe cracking, separations, or offsets at building irregularities?			
	h. Doors damaged, difficult to operate, or inoperable?		☑′	
	i. Windows damaged, difficult to operate, or inoperable?			
28.	Ceilings: (if yes, provide description and photos)			
	a. Collapse of ceiling finish?		□ /	
	b. Fresh cracking of ceiling finishes, especially at re-entrant corners; cracks along corner			
	bead at stairwell openings; cracking or tearing of finishes at ceiling/wall juncture; or multiple			
	"nail pops"?		/	
	c. Damage to ceiling finishes in vicinity of corridors or commons places?		Image: section of the sec	
	d. Separations or cracks in ceiling finishes at split-levels, re-entrant corners,		Ø	
	additions, appendages, or other building discontinuities?		/	
	e. Water damage or evidence of recent leakage from plumbing lines or roofing?		ď	

E.	INTERIOR INSPECTION (continued)			
29.	Floors: (if yes, provide description and photos)	YES	NO	N/A
	a. Evidence of recent sloping, sagging, settlement or displacement of floors?			
	b. In slab-on-grade locations, fresh cracking of floor slab or floor finishes?		□ ∕	
	c. Significant sagging or unusual bounciness of floors frames?			
	d. Separations or cracks in floor finishes at split-levels, re-entrant corners, additions,	Ш	LY	<u></u>
	appendages, or other building discontinuities?	 1	/	
	e. Signs of movement between floor and exterior hardscape or retaining wall along	Ш	M	Ш
	the uphill side of homes on steeply sloping sites?	П		
	f. A pattern of fresh cracks, gaps, or joint separations in floor finishes?			
	g. Impact damage to floor finishes from falling contents?			
			-2	
30.	Mechanical systems: (if yes, provide description and photos)			
	a. Displaced connection of appliance flues connected to chimneys?			
	b. Toppling, shifting, leakage from tank, leakage from water connections displaced flue		ابسا	L
	connection or damage/leakage at gas line or electrical connection of water heater?			
	c. Shifting, damage/leakage at gas line, flue connection, electrical connection, refrigerant line,		A	
	and condensate drain connection of furnace or air conditioning fan-coil unit?			
	d. Damage to gas line of gas stoves or gas fueled clothes dryers?			
	e. Damage to toilets?			<u> </u>
	f. Decreased or restricted water pressure at appliances, faucets, or toilets?			
	g. Toppling or shifting of free-standing wood stove and/or flue?			
	h. Toppling, shifting, damage/leakage at fuel connection of fuel oil tank?			
	i. Other Damage in the dining room			
	j. Damage near the gas tank			
				— -

E.	INTERIOR INSPECTION (continued)			·
31.	Architectural woodwork and special finishes: (if yes, provide description and photos)	YES	NO	N/A
	a. Shifting of or damage to kitchen or bathroom cabinetry?			
	b. Impact damage to countertops from falling objects?		□	
	c. Cracking of ceramic tile in showers or tub/shower enclosures consistent with			
	earthquake damage to adjacent wall finishes?			
F.	CONTINGENTINSPECTIONS			
		YES	NO	N/A
32.	Retaining Tank Wall damage?		\Box	
33.	Water tank or other field subterranean structure		De Saper	
	4		prosal	

G.	RECOMENDA	CIÓN AL SECRETARIO		
	Departamento de Dr. Eligio Hernáno Secretario de Edu	dez Pérez		
	Hora de Entrada a Inspección:	7:50 AM	Hora de Salida de Inspección:	M400:01
	Escuela:	ELEANOR POOSEVELT	Código:	61358
	Municipio:	SAN JUDN	Fecha de Inspección:	01-15-2020
	Abrir Escuela (Ve	erde)		
	Abrir Parcialment	e la Escuela (Amarillo)		
	No Abrir la Escue	ıla (Rojo)		
	ON DUISUDI ASSESSING TO FROM THE SI HIS STAUCTUM THE DETER FACTURY TO CODES RET FOR THE P EXTENSIVE	BENOTED THOT, AS REQUE INSPECTION OF THE AS IS THE PRESENCE OF SIGNIF EISMIC EVENTOF JANUA OF CHESTICAL OF THE STANCE OF MEET THE APPLICABLE OF THE APPLICABLE CHARLETOTION OF THE ELLY BUT OT ON THAN OF AND REPORTED HERE	FACILITY FOR TO WANT STINUTURES MY 7, 2020 WHITE STHOT PHOR TO STUDIAL AND CO SUBSILLA AND CO SOCIOPING R FACILITY YOU RE THE ONE RETOU N.	REPURIDUSE OF DAMAGE NESULTIMA CH MAY APPEUT THE SELSMIC EVENTY VETHE EXISTING NISTING BUILDING ELAMMENDOTIONS TO UNE A MONE JESTEN TO BE
	AIETANON Nombre (Letra de I	OJ. NAZARIO MOIDO) HYDVINO	#Licencia	INGENIERO LICENCIADO

