## CARTA DE TRAMITE

Para:	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación		
De:	Nombre de la Compania Consultora:  Dirección Postal:  Teléfono:  Nombre del Representante Autorizado:  Firma:	Associate B	29
Escue	la: Carmen Borroso Morales	Código:	71662
Escue	a: Cormen Ferroso Morajes	Fecha de	71448
Munici		Inspección:	1-12-2020
Escue		·	
Nombr	re del Ingeniero que emite la recomendación: //w./	Solvardo A	horez
Anejos	•		
1.	Recomendación al Secretario		
2.	Estampilla Digital Especial emitida por el CIAPR		
3.	Informe de inspección Ocular		

71662

#### **OCULAR INSPECTION CHECKLIST**

Α.	GENERAL INFORMATION		-
1.	Street Address of the School: C. An fonio Paoli		
	City: Tog Bg g State: P.R Zip: 6	0949	
2.	School Name: Carmen Barroso Mo	xo949	
3.	Date of inspection: 01 - 12 - 2020		
4.	Inspector's Name: Ednamelo Al vmez Sest		
B.	BUILDING SITE INSPECTION		
5.	Utility Service Safety:		
detected	TANT–Immediately following an earthquake, check the entire property, especially near appliances, for the sme d, turn off the gas at the meter where it enters the house. Locate and repair leaks before turning gas back on. e gas has been shut off, vacate the building and contact the gas utility company immediately.	II of gas. If ga If the gas od	as odor is or persists
IMPOR' valve, e	TANT–Before entering a damaged, vacant building verify that gas is off.  Check the gas meter for damage and ither a manual valve or a seismically-activated gas shut-off valve.  Do not enter the building if gas odor is dete	position of m	ain gas
	a. Odor of natural gas leakage? YES NO b. Downed powerlines? YES	NO NO	
6.	Surrounding topography: (©checkone)  Flat Gently sloping (easily walkable) Steeply sloping (difficult or impossible to walk in some areas)		
7.	Building pad: (②check one)  Flat  Terraced or multilevel  Gently sloping (less than 4-foot ground surface elevation difference across house)  Steeply sloping (greater than 4-foot ground surface elevation difference across house)	1.8	
8.	Geotechnical Issues: (if yes, provide description and photos)	YES	NO
	a. New cracks in the ground?		
	b. Signs of fresh cracking in or movement of hardscape?		$\times$
	c. Signs of fresh cracking in or movement of retaining walls?		X
	d. Patterns of cracking that extend through the ground surface, hardscape, and improvements?		X
	e. Evidence of sand boils or other fresh-appearing deposits of sand or mud?		K
	f. Unusual slumping, rising, or bulging of the ground surface?		$\swarrow$
	g. Evidence of rock falls or slope instability above site?		×
	h. Ground movement or wet areas indicating possible broken underground utility lines?		×
	i. Other phenomena (e.g., septic tanks surfacing, differential settlement, ground consolidation)?		X

В.	BUILDING SITE INSPECTION (continued)		λ Λ <sup>0</sup>	YES	NO
9,	Evidence of earthquake-induced permanent ground defor property?	mation i	n the immediate vicinity of the		
C.	GENERAL BUILDING INFORMATION				
10.	Safety Assessment Tag: (②check one) None (others):	Green Green	een Yellow Red		
11.	a) Year of original construction (best estimate): 1976 b) Total square footage (best estimate): 14,976	75		YES	NO
12.	Have any repairs, modifications, or demolition been perfo		nce the earthquake?		<b>⊠</b> 
13.	a. Single story b. Combination one and two story c. Full two story d. Three story e. Split level f. Typical g. Other, describe	16. 17.	sill bolting:  a. Structure bolted to foundation b. Structure not bolted to found c. Don't know  Roof configuration: a. Gable b. Hip c. Flat or very low slope		
14.	Exterior wall finish:  a. Stucco b. Panel siding c. Metal siding d. Masonry veneer e. Other, describe	18.	d. Shed e. Other, describe  Roof covering: a. Asphaltic membrane b. Wood shingle or shake		
15.	a. Slab-on-grade b. Crawlspace without cripple walls c. Crawlspace with cripple walls d. Exposed piers or posts e. Typical f. Metal g. Other, describe		c. Concrete d. Metal e. Elastomeric f. Other, describe		

D.	EXTERIOR BUILDING INSPECTION			
1	9. General: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or building off foundation?		X	
	b. Obvious lean in any story?		X	
20.	Exterior walls: (if yes, provide description and photos)			
20.	a. Fresh cracking at corners of door and window openings?		X	
	, ,		$\boxtimes$	
	b. Fresh cracking at building corners?		$\boxtimes$	
	c. Door or window openings racked out of square?		X	
	d. Broken glass in windows or doors?		$\square$	
	e. Wall leaning?			Ш
	f. Bulging or delamination of stucco?			
	g. Pattern of cracking that extends from the ground surface, through foundation, and wall?			
	h. Evidence of recent relative movement at mudsill line?		X	
	i. At locations where the exterior stucco is continuous from the framing down over the		×	
	foundation, is there cracking of stucco along the mudsill level accompanied by indications			
	of permanent displacement (sliding) of the building relative to the foundation?			
	j. Collapse, partial collapse, or separation of masonry veneer?		×	
	k. Severe cracking, separations, or offsets at building irregularities?		X	
21.	Foundation: (if yes, provide description and photos)			
	a. Fresh cracking of exposed perimeter foundation?			
	b. Relative movement between slab and footing in "two-pour" slab-on-grade foundations?			X
	c. Ask homeowner if any earthquake retrofits have been done to the home?			X
	If Y describe:			
	d. If the answer to c is Y, were bolts added to connect the home to the foundation?			<b>X</b>
	e. If the answer to c is Y, were plywood or sheathing added to any cripple walls under the			X
	home?			

D.	EXTERIOR BUILDING INSPECTION (continued)			
	22. Kitchen Hook (if yes, provide description and photos)	YES	NO	N/A
	a. Present on external wall?			талоника; антоникан
	b. Present at internal location?		<u>V</u>	
	c. Collapse or partial collapse?		区	
	d. Visible damage or cracking?	continue i		
	e. Visible tilting or separation from building?		Q	
	f. Shifted or loose and displaced	Tarel American		ALTERNATION OF THE PROPERTY OF
	g. Deterioration or deformation			
			$\boxtimes$	
23.	Roof: (if yes, provide description and photos)			
	Shifted or dislodged or concrete damage?		図	ellistippetted.
	b. Impact damage to roof from falling object?		区	Total Control of the
	c. Displaced rooftop HVAC units?	COTTON MICHAEL	X	
	d. Significantly sagging roof ridgelines?	49992002	X	94000000
	e. Signs of movement between rafter tails and wall finishes at eaves?		図	
	f Buckled/dislodged flashing or tearing of roof membrane, roof/wall intersections in split		X	
	level buildings, additions, or other building irregularities?			
	g. Tearing of roof membrane or deck waterproofing at re-entrant corners?	anth-stra	$\square$	
	h. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of rooftop		K	emmers
	mechanical equipment?			
	i. Shifting of or damage to solar panels?		and the same of th	図
				Er A. A.

D.	EXTERIOR BUILDING INSPECTION (continued)			
24.	Attached or abutting improvements: (if yes, provide description and photos)	YES	NO	N/A
	a. Collapse, partial collapse, or separation of attached porches, carports, Gazebos, or	Ш	X	
	awnings?		$\boxtimes$	i i
	<ul> <li>b. Evidence of recent settlement or displacement of exterior steps, patios,</li> <li>or walkways relative to the building?</li> </ul>	ш.		
	c. Signs of movement between building floor and/ or exterior hardscape or retaining		×	
	wall along the uphill side of hon steeply sloping sites?			
	d. Toppling, shifting, or damage/leakage at refrigerant and electrical lines of		×	
	air conditioning condenser unit(s)?			
25.	Independent exterior improvements: (if yes, provide description and photos)			
	a. Damaged detached gazebo?		X	
	b. Damage to fences / privacy walls?			
	c. Damage to retaining walls?			
	d. Damage to walkway?			
	e. Evidence of leakage from water supply lines?		X	
	f. Toppling, shifting, or damage/leakage at fuel connection of propane tanks?		<u> </u>	
	g. Others damage			
E.	INTERIOR INSPECTION		4	
26.	General information			
	If interior access not possible, identify reason	finish		
	i. Red tag i. Drywall ii. Hazardous materials ii. Plaster on gypsu	m lath		
	iii. Other hazardous condition, describe iv. Other, describe			
	iv. Other, describe			

E.	INTERIOR INSPECTION (continued)			
E.	INTERIOR INSPECTION (continued)			{
27.	Walls: (if yes, provide description and photos)	YES	NO	N/A
	a. Fresh cracking, buckling, spalling, or detachment of interior wall finish at corners of	Ш	×	
	door and window openings?			
	b. Fresh cracking of wall finishes at wall corners or wall/ceiling intersections?		X	
	c. Door or window openings racked out of square?		X	
	d. Wall leaning?		$\boxtimes$	
	e. Pattern of cracking that extends from the floor slab through the wall?		$\times$	
	f. Movement or sliding of walls relative to the floor?		X	
	g. Severe cracking, separations, or offsets at building irregularities?		X	
	h. Doors damaged, difficult to operate, or inoperable?		X	
	i. Windows damaged, difficult to operate, or inoperable?		X	
28.	Ceilings: (if yes, provide description and photos)			
	a. Collapse of ceiling finish?		×	
	b. Fresh cracking of ceiling finishes, especially at re-entrant corners; cracks along corner		$\searrow$	
	bead at stairwell openings; cracking or tearing of finishes at ceiling/wall juncture; or multiple	)		
	"nail pops"?			
	c. Damage to ceiling finishes in vicinity of corridors or commons places?		X	
	d. Separations or cracks in ceiling finishes at split-levels, re-entrant corners,		K	
	additions, appendages, or other building discontinuities?			
	e. Water damage or evidence of recent leakage from plumbing lines or roofing?		X	

\$25 825 8	INTERIOR INSPECTION (continued)			· ·
29.	Floors: (if yes, provide description and photos)	YES	NO	N/A
	a. Evidence of recent sloping, sagging, settlement or displacement of floors?			
	b. In slab-on-grade locations, fresh cracking of floor slab or floor finishes?	SERVICE SERVIC		9990000000
	c. Significant sagging or unusual bounciness of floors frames?			
	d. Separations or cracks in floor finishes at split-levels, re-entrant corners, additions,		$\boxtimes$	berrones.
	appendages, or other building discontinuities?	permusery	га	processor .
	e. Signs of movement between floor and exterior hardscape or retaining wall along	-	<u>×</u>	entenens
	the uphill side of homes on steeply stoping sites?	Parama I	[ <del>7</del> ]	ounou
	f. A pattern of fresh cracks, gaps, or joint separations in floor finishes?	Annual de la constant		
	g. Impact damage to floor finishes from falling contents?			
			tweder	Francisco Control
30.	Mechanical systems: (if yes, provide description and photos)	consumectors		
	a. Displaced connection of appliance flues connected to chimneys?	pianone .		<del> </del>
	b. Toppling, shifting, leakage from tank, leakage from water connections displaced flue		X	
	connection or damage/leakage at gas line or electrical connection of water heater?	Quantity.	<del></del>	g-weeken and
	c. Shifting, damage/leakage at gas line, flue connection, electrical connection, refrigerant line,	greenary.	X	
	and condensate drain connection of furnace or air conditioning fan-coil unit?	econtribited.	X	
	d. Damage to gas line of gas stoves or gas fueled clothes dryers?	Name of State of Stat	inibour .	
	e. Damage to toilets?		<b>U</b>	
	f. Decreased or restricted water pressure at appliances, faucets, or toilets?		×	
	g. Toppling or shifting of free-standing wood stove and/or flue?	Lamine d		
	h. Toppling, shifting, damage/leakage at fuel connection of fuel oil tank?	UDSESSIONS		
	i. Other Damage in the dining room	STATE OF THE PARTY	ra Ra	2007777
	j. Damage near the gas tank			
		transmit a serie	لشا	loseon

E.	INTERIOR INSPECTION (continued)			
31.	Architectural woodwork and special finishes: (if yes, provide description and photos)	YES	NO	N/A
	a. Shifting of or damage to kitchen or bathroom cabinetry?		X	
	b. Impact damage to countertops from falling objects?		X	
	c. Cracking of ceramic tile in showers or tub/shower enclosures consistent with		X	
	earthquake damage to adjacent wall finishes?			
F.	CONTINGENT INSPECTIONS			
		YES	NO	N/A
32.	Retaining Tank Wall damage?			$\times$
33.	Water tank or other field subterranean structure			$\times$

G.	RECOMENDACIÓN AL SECRETARIO		
	Departamento de Educación Dr. Eligio Hernández Pérez Secretario de Educación		
	Hora de Entrada a Inspección:  Escuela:  Carmen Barroso Morales  Municipio:  Toa Baja	Hora de Salida de Inspección: Código: Fecha de Inspección	9:00 Am 71662 01-12-2020
	Abrir Escuela (Verde)  Abrir Parcialmente la Escuela (Amarillo)  No Abrir la Escuela (Rojo)		
	Comentarios: Durante el recorrice escolar observamos en la Social una grieta en la par existente. Observamos que en bavilla expuesta en el plafon. En el Salon #8 y #10 Gris de enparretado en el techo	officina de red y el- n el salón eta y desp	#7 hay vendimiento
	Eduardo Alvarez Sosa Nombre (Letra de Molde) LUSS Firma	₹251 #Licencia	STORIC #24252



#### COLEGIO DE INGENIEROS Y AGRIMENSORES DE PUERTO RICO

PO Box 363845 \* San Juan, Puerto Rico \* 00936-3845 Tel. 787-758-2250 \* Fax. 787-758-7639

#### **ESTAMPILLA DIGITAL ESPECIAL (EDE)**

Ing. Eduardo E Alvarez Sosa, PE



Práctica de:

Ingeniería

Licencia:

24252

Renglón:

Certificación

Descripción del Trabajo: Inspección y Verificación de Instalaciones

Fecha de Emisión:

2020-01-20

Monto Emitido:

\$5

Número de Serie:

6462-0618-9286-3665

Número de Caso:

71662

Proyecto / Unidad:

Escuela Carmen Barroso Morales

Rol del Profesional:

Evaluador



#### Certificación:

El profesional certifica con la emisión de la estampilla digital especial del Colegio de Ingenieros y Agrimensores de Puerto Rico el haber cumplido con las disposiciones de la Sección 11 de la Ley 319 del 15 de mayo de 1938, según enmendada.

La colocación del sello profesional constituye la cancelación de la estampilla digital especial

The World Control of the World